012064

S

TO DO

DICH

[Maximum Marks: 300

2012 CHEMICAL TECHNOLOGY

Register Number

Read the following instructions carefully before you begin to answer the questions.

IMPORTANT INSTRUCTIONS

- 1. This Booklet has a cover (this page) which should not be opened till the invigilator gives signal to open it at the commencement of the examination. As soon as the signal is received you should tear the right side of the booklet cover carefully to open the booklet. Then proceed to answer the questions.
- 2. This Question Booklet contains 200 questions.
- 3. Answer all questions.

Time Allowed: 3 Hours 1

Sl. No.

- 4. All questions carry equal marks.
- 5. You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- 6. An Answer Sheet will be supplied to you separately by the Invigilator to mark the answers. You must write your Name, Register No., Question Booklet Sl. No. and other particulars on side 1 of the Answer Sheet provided, failing which your Answer Sheet will not be evaluated.
- 7. You will also encode your Register Number, Subject Code, Question Booklet Sl. No. etc., with Blue or Black ink Ball point pen in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to encode the above information, your Answer Sheet will not be evaluated.
- 8. Each question comprises four responses (A), (B), (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 9. In the Answer Sheet there are **four** brackets [A] [B] [C] and [D] against each question. To answer the questions you are to mark with Ball point pen ONLY ONE bracket of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong. e.g. If for any item, (B) is the correct answer, you have to mark as follows:

[A] [C] [D]

- 10. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the examination. After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 11. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.
- 12. Do not tick-mark or mark the answers in the Question Booklet.
- 13. The last sheet of the Question Booklet can be used for Rough Work.

607

Turn over

www.upscstudymaterials.com

www.upscstudymaterials.com

1.	The	number of moles in 8.516 g of ar	nmoni	a is (molecular mass of ammonia is
	17:0	031 amu)	·	
	A)	0.5	B)	1.0
	C)	1.5	D)	2.0.
2.	In fe	ormation of ammonia process, incr	ease in	pressure favours
	AY	forward reaction	B)	backward reaction
	C)	no change	D)	none of these.
3.	N_2	$(g) + 3H_2(g) \longrightarrow 2NH_3(g)$. This	s equa	tion is an example of
	A)	irreversible reaction	B)	homogeneous equilibrium
	1C)	heterogeneous equilibrium	D)	none of these.
4.	For	the reaction CaCO ₃ (s) = CaO	(s)+	$\mathrm{CO}_2\left(g ight),\;\;k_p^{}\;\mathrm{is}\;\mathrm{equal}\;\mathrm{to}$
	A	p_{CO_2}	B)	$[CO_2(g)]$
5.	C) In n	1 WWW.UDSCStUdyInanufacture of ammonia by Haber's	D) Mate	- p _{CO2} . Orials.com ss, high pressure
	A	favours the formation of ammonia	ı	
	B)	suppresses the formation of amm	onia .	
	C)	has no effect		
	D) .	decreases and increases.		
6.	In a	chemical equilibrium, the free ene	rgy wil	l be
	A)	maximum	B)	negative
	C)	positive	DY	minimum.
7.	For	a reaction $2SO_2 + O_2 = 2SO_3$,	Δn is	
	A)	zero	B)	10
	C)	infinite	PT	negative.

8.		me of all gases contain the same nu		
	A)	Gay-Lussac's law	BY	Avogadro's hypothesis .
	C)	Boyle's law .	D)	Graham's law of diffusion.
9.	The	number of water molecules present	in 0·0	18 gm of water is 6.023 ×
	A)	10 ²³	BÍ	10 ²⁰
	C)	10 ²⁶	D)	10 ¹⁹ .
10.	Addi	tion of hydrogen cyanide to a ketone	e in pr	resence of sodium hydroxide yields
	AT	cyanohydrin	B)	aldol
	C)	acid	D)	amide.
11.		ch of the following products is fo ted with phosphorous pentachloride		when two moles of ethyl alcohol
	A)	Ethane	B)	Butane
12.	Ø) Whi	Ethyl chloride WWW.UDSCSTUDYI ch of the following products is for	D) nat med,	Butyl chloride. Crials.com when hydrogen iodide reacts with
	ethy	l alcohol in presence of phosphorus	at 42	3K ?
	A) /	Ethylene	B)	Propene
	R	Ethane	D)	Propane.
13.	With	an increase in temperature, the mo	olarity	of the solution
	A	decreases	B)	increases
	C)	increases & decreases	D)	no change.
14.	Norr	nality of a solution is the number of	î	
	A)	parts by mass of the solute per hu	ndred	parts by mass of solution
	в,	parts by volume of solute per hund	lred pa	arts by volume of solution
	SX	gram equivalents of the solute diss	olved	per litre of the solution
	D)	gram equivalents of the solute diss	olved	in 100 ml of the solution.

15. General electronic configuration of d-block elements is

$$(n-1)d^{1-10}$$
 ns 1,2

- B) $(n-2)d^{1-10} ns^{1,2}$
- C) $(n-2)f^{1/14}(n-1)d^{0-1}ns^2$
- D) $nd^{1-10}ns^{1,2}$.

16. The number of elements in d-block is

A) 14

B 12

C) 18

D) 32.

17. The IUPAC name of Rutherfordium (Rf) is

A) unnilpentium

B) unnilhexium

/ unnilquadium

D) unnilenium.

18. Air is approximately

A) $\frac{1}{2}$ oxygen and $\frac{4}{5}$ nitrogen by volume

by $\frac{1}{5}$ oxygen and $\frac{4}{5}$ nitrogen by volume www.upscstudymaterials.com

- · C) $\frac{4}{5}$ oxygen and $\frac{1}{2}$ nitrogen by volume
 - D) $\frac{1}{2}$ oxygen and $\frac{1}{2}$ nitrogen by volume.

19. If a container of volume V contains n_1 moles of gas 1, n_2 moles of gas 2 and so on, then the partial pressure of gas 1 is given by

A) $\frac{RT}{Vn_1}$

 $\mathbf{B}) \qquad \frac{R}{TVn_1}$

 $\frac{n_1RT}{V}$

D) $\frac{T}{RVn_1}$.

20. Absolute zero is

A) 273·15 K

B) 373·15 K

C) 25° C

DY - 273·15° C

607

[Turn over

21.	-21	3.15° C corresponds to a limiting va	uue oi	
	A)	zero volume	B)	22.5 litres
	_C)	1000 ml	D)	1000 gm.
22.	5-10	0-5 fertilizers mean that they contain	n	
	A)	only 5% to 10% active fertilizer con	stitue	nt
	B)	5% to 10% filler, carrier of soil con	dition	er ,
	æſ	5%,10%, 5% respectively of N ₂ , P ₂ 0	O ₅ and	K ₂ O
	D)	none of these.		
23.	The	main use of HCl is in the		
	AY	drilling of petroleum wells and pick	kling o	f steel sheets
	B) -	manufacture of cationic detergent		
	C)	treatment of spent fuel of nuclear	reacto	
	D)	none of these.		
24.	Eco	nomy of Solvay process depends up	on the	efficiency of
	A)	carbonath Mowel DSCStudy	mat	Cinrarria realvery
	C)	ammoniation of salt solution	D)	none of these.
25.	Con	tact process for the manufacture of	sulph	uric acid
	AT	yields acid of higher concentration	than	chamber process
	B)	yields acid of lower concentration	han c	hamber process
	C)	is obsolete		•
	D)	eliminates absorber.		
26.	Solv	vay process is used for the preparat	ion of	
	A)	soda ash	B)	Na ₂ CO ₃
	Ø	both (A) and (B)	D)	caustic soda.
27.	∮ In g	glass manufacture, the longer the		period, the better the quality of
	the	glass.	,	
	A)	shaping	B	annealing
	C)	melting	D)	sintering.
		607		

28.	Whi	ch is not a constituent of lacquers	?	
	A)	Diluents	B)	Cellulose derivatives
	pl	Pigments	D)	Resins.
29.	In p	paints, drying oil is used as		
	,A)	film forming constituent	B)	viscosity reducer
	C)	gelling preventer	D)	durability increaser.
30.	Amo	ong the following pigments, which is	s not a	white pigment?
	A)	Titanium dioxide	B)	Zinc oxide
	C)	Lithopone	DI	Cadmium sulphide.
31.		optical glass manufacture, which c cific application?	of the	following ingredients does not find
	A)	Barium compounds	B)	Potassium carbonate
	C)	Red lead oxide	PY	Boric acid.
32.	Whi	ich of the following parameters is no	ot used	d to characterise cement?
	A)	Sething in upscstudym	ate	Le Chateller expansion
	C)	Compressive strength	Pr	Hardness.
33.	Cha	lking, flaking, peeling refers to failu	re of	
	A)	dyes	BY	paint
	C)	pigments	D)	varnishes.
34.	Ма	gnesia content in cement should		
	AY	not exceed 5%	B)	not exceed 8%
	C)	exceed 4.5%	D)	none of these.
35,		nanufacture of phosphate fertilizers ur ?	, whic	h of the following problems does not
	A)	Hydrofluoric acid handling		•
	B)	Dust pollution		
	C)	Formation of hygroscopic calcium	nitrat	e
	10)	Formation of biuret.		

731	PERM	
IJ	CH	

8

36. The content of nitrogen is ammonium sulphate is about

AY 20% - 21%

B) 40% - 45%

C) 30% - 33%

D) 7% - 10%.

37. Production of nitric acid from ammonia consists of two steps

- A) oxidation and stripping
- By oxidation and absorption
- C) reduction and absorption
- D) reduction and evaporation.

38. Which one of the following does not belong to the class of diaphragm cells used for caustic soda production?

A) Dow cells

B) Hooker cells

- C) Diamond alkali cells
- De Nora cells.

39. In the manufacture of caustic soda by lime-soda process, the reaction is given by Na₂CO₃ + Ca (OH)₂ = 2NaOH + CaCO₃

By application of law of Mass Action, high conversion is obtained when the soda ash solution is

A) concentrated

B∤ dilute

C) supersaturated

D) saturated.

40. Nylon 6-6 is manufactured from

- A) hexamethylene diamine and adipic acid
- B) aminocaproic acid
- C) amino-undecanoic acid
- D) adipic acid and maleic anhydride.

41. Permanent hardness is due to the presence of

A chlorides and sulphides of calcium & magnesium

- B) calcium bicarbonates
- · C) magnesium bicarbonates
- D) carbonate of iron.

42.	Hig	h pressure process uses oxygen as	catalys	st in the manufacture of
	A	LDPE	B)	HDPE
	C)	LLDPE	D)	XLPE.
43.	An	additional step in the manufactur	e of p	aper from bagasse as compared to
	tha	t from bamboo is		
	AY	depithing	B)	digestion
	C)	bleaching	D)	none of these.
44.	Coo	king conditions in kraft pulp proces	ss are	
	A	time: 2-5 hrs, temperature: 170°	C - 17	6°C and pressure : 660 - 925 kPa
	B)	time: 6-12 hrs, temperature: 125	°C - 1	60°C and pressure : 620 - 755 kPa
	C)	time : 36 - 48 minutes, pressure : 660 - 1100 kPa	tempe	erature : 160°C - 180°C and
	D)	time: 1-2 hrs, temperature: 150°	C-160	°C and pressure : 600 - 660 kPa.
45.	The	catalyst used in the manufacture of	f HDP	E by Ziegler process is
	A) B)	chromic oxide UDSCSTUCYN aluminium triethyl combined with		erials.com
	C)	aluminium triethyl combined with	titani	um dioxide
	D)	molybdenum on alumina.		
46.	Oil :	is		•
	A)	a mixture of glycerides		
	BÍ	a mixture of glycerides of fatty acid	ds	
	C)	solid at normal temperature		
	D)	esters of alcohols other than glyce	rin.	•
47.	Whi	ich of the following is not a use of ci	tric ac	aid ?
	A)	Cleaning and polishing of iron and	l steel	
	B)	In preparation of alkyd resins, pai	nts an	d lacquers
	C)	In printing and textile industries		•
	pr	In manufacture of mayonnaise.		
	,	607	7	Turn over

18.	The	correct order of the tendency of fue	l const	ituents to knock is :
	A)	aromatics > straight chain parafficycloparaffins	ns > o	lefins > branched chain paraffins >
	BY	straight chain paraffins > br cycloparaffins > aromatics	anche	d chain paraffins > olefins >
	C)	aromatics > olefins > branched c chain paraffins	hain p	araffins > cycloparaffins > straight
	D)	branched chain paraffins > cyclog chain paraffins.	paraffii	ns > olefins > aromatics > straight
19.	Whi	ch of the following processes yields	coke?	
	A)	Pyrolysis	B)	Visbreaking
	C)	Hydrocracking	الطر	Delayed coking.
50.	Flex	tible foam (for mattresses) is usual	ly mad	le of
	A)	polypropylene	P	polyurethane
	C)	polyvinyl Chloride DSCStudy	mat	erials.com
51.	Bea	ting the fibres using a Hollander be	ater m	akes the paper
	AT	stronger and uniform	В)	more porous
	C)	less denser	D)	less opaque.
52.	The	characteristic of pulp by sulphate	process	s is
	A)	dull white colour		
	B)	easy to bleach		
	es	strong fibres		
	D)	less resistant to mechanical refini	ng.	
53.	Nyl	on-6, 6 as compared to Nylon 6 is		
	À)	harder	B)	high melting point
	C)	less abrasive resistant	DY	all of these.

D)


bakelite.

nylon

12

62.	The	device which converts mechanical	energy	into electrical energy is
	A)	electric motor	B	generator
	C)	transformer	D)	electric fan.
63.	The	purest form of semiconductors is c	alled	
	A	intrinsic semiconductors	B)	normal semiconductors
	C)	extrinsic semiconductors	D)	none of these.
64.	In a	an electrical network, the law stat	ing th	at "The algebraic sum of currents
	mee	eting at any junction at any instant	is zero	" is
	A	Kirchhoff's current law	B)	Lenz's law
	C)	Kirchhoff's voltage law	D)	Faraday's first law.
65.	Con	ductance is the reciprocal of		•
	A)	conductivity	BY	resistance
	C)	specific conductance	D)	specific resistance.
66.	DC	generator works on the principle of	yma	aterials.com
	A)	Fleming's left hand rule	BY	Electromagnetic induction
	C)	Electromagnetic radiation	D)	Electrolysis.
67.	Whi	ich is not a terminal of a transistor	?	
	A)	Common base	BI	Common projector
	C)	Common emitter	D)	Common collector.
68.	Wh	ich of the following statements is fal	lse ?	
	A)	Impurity added to intrinsic semico	onduct	ors gives extrinsic semiconductors
	B)	Charge carriers of P-type semicon	ductor	s are holes
	C)	Charge carriers of N-type semicon	ductor	s are electrons
	PY	Charge carriers of N-type semicon	ductor	s are holes.
69.	The	rising V/I characteristic of a series	gener	ator makes it suitable for use as a
	A)	regulator	B)	converter
	el	booster	D)	amplifier.

		13		DICH
70.	In a	DC generator, the main function of	comp	ensating winding is to
	A)	assist in commutation		
	B)	reduce demagnetising effect of arm	ature	reaction
	2	reduce distorting effect of armatur	e react	tion
	D)	eliminate reactance voltage.		
71.	The	emf generated within the armature	of a D	C generator is given by
	A)	$E_b = N \phi$	B)	$E_b = V - I_a R_a$
	PS.	$E_g = \frac{\phi Z N P}{60 A}$	D)	$E_g = V + I_a R_a.$
72.	The	experimental law for the hysteresis	loss o	f a magnetic material was found by
	A)	Newton	B)	Faraday
	C)	Lenz	P (D)	Steinmetz.
73.	The	steel make alloy sheet is most suit	ed for	making transformer cores because
	of it	www.upscstudyma	ater	rials.com
	A)	low hysteresis loss and low permea	ability	
	B)	high hysteresis loss		
	K	high permeability and low hysteres	sis loss	3
	D)	high permeability.		•
74.	Peri	meance of a magnetic circuit is giver	n by th	ne reciprocal of its
	AT	reluctance	B)	permeability



A) the number of its turns

flux density

the change of flux linked in it B)

air density.

D)

- the time taken to change the flux all of these. C)
- The electrostatic potential inside a positively charged sphere is 76.
 - A) maximum

B) minimum

C) zero

C)

constant.

DIC	H		14	
77.	Kilo	-watt hour is the unit of	•	
	M	energy	B)	power
	C)	force	D)	stress.
78.	The	cost of running 2 kW heater for	- 10 hours	at 50 paise/kWh is
	A)	Rs. 5	BÍ	Rs. 10
	C)	Re. 1	D)	Rs. 2.
79.	Acc	ording to the commonly used si	gn conven	tion for voltages
	A)	a fall in voltage is considered p	ositive	•
	BÍ	a rise in voltage is considered	positive	•
	C)	IR drop is taken as negative	•	
	D)	battery EMFs are taken as pos	sitive.	
80.	A si	mple potentiometer is correctly	called•a	
	A)	current divider	B)	voltage stabilizer
	C)	variable resistor	tudyri	voltage divider.
81.			has near	rly zero temperature coefficient of
	resi	stance?	·	
	A)	Copper	B)	Carbon
	JES.	Manganin	D)	Mica.
82.	The	Law of Demand is the outcome	of the	
	AY	Law of Diminishing Marginal	Utility	
	B)	Law of Equimarginal Utility		
•	C)	Law of Consumption		
	D)	Law of Maximum Satisfaction	•	
83.	In .	buyers and sellers	belong to	a small local area.
	A)	Family Market	B)	National Market
	C)	World Market	PI	Local Market.

607

84.	Social Welfare is the guiding factor of the economic activity in			
	A)	Market economy	BY	Socialist economy
	C)	Traditional economy	D)	Mixed economy.
85.	Proc	luction in simple terms means		
	A)	innovative activity	B)	destruction of utility
	C)	absorption of utility	P	creation of utility.
86.	The	Supply curve shifts in its entire len	gth to	the right because of
	A	increased production		· · · · · · · · · · · · · · · · · · ·
	B)	increase in its price		•
	C)	increase in subsidies for the produ	ct	
	D)	the exit of few firms.		
87.	Whe	en Demand curve is vertical, it prese	ents	
	A	perfectly elastic demand	B)	perfectly inelastic demand
	C)	elastic demand UDSCSTUCV	ma:	inelastic demand.
88.	The	quantum of utility derived depends	on th	e
	A)	need of the individual	B)	mental make up of the consumer
	C)	social desirability	PA	intensity of desire.
89.	The	Supply curve shifts to its left becau	se of	
	A }	increase in subsidies for the produ	ıct	
	B)	number of producers in the indust	try	
	C)	factors outside the economic sphere	re	· . ·
	D)	fall in supply without a change in	price.	
90.	War	nts change with		,
	A)	two or more commodities	B)	person to person
	Æ)	time, place and person	D)·	the destruction of utility.
91.	To s	sell what could be produced is		
	A)	consumer orientation	BÍ	marketing orientation
	C)	product orientation	D)	management orientation.

DICH 16 Consumption is the 92. destruction of utility A) creation of utility result of production stimulant for production. D) The father of Economics is 93. Adam Smith Lionel Robbins B) Paul A. Samuelson D) Alfred Marshall. 94. The major gas causing greenhouse effect is CO_2 B) H_2S SO3 D) none of these. 2000 kg of wet solid containing 70% solid is dried to get a final product of 99% solids. The amount of water removed from wet solid is 585.80 kg 1414·14 kg Αì 96. Ozone depletion in the upper atmosphere has been caused predominantly in recent years by the release of CFCs. CFC denotes Concentrated Fluorine Chemicals Concentrated Fine Chemicals B) A) Chloroflurocarbons Chlorinated Fixed Carbon. D) The gas which has reddish-brown colour with pungent suffocating odour is 97. NO₂ A) NO C) SO₂ CO. 98. Packing comes under plant overhead cost A) administrative expenses C) distribution & marketing expenses D) none of these. 99. Building, process and auxiliary comes under A) **Indirect Cost** Direct Cost

D)

Fixed Capital Investment.

C)

Working Capital

100.	Man	nufacturing cost is				
	AY	direct production costs + fixed charges + plant overhead costs				
	B)	direct production costs + administ	rative	expenses		
	C)	direct production costs + distributi	ion an	d marketing expenses		
	D)	direct production costs + general e	xpens	es.		
101.	In a	certain process, one needs fluid flo	ow in a	a given direction and the valve is to		
		•	hich c	of the following valves permits fluid		
	flow	in one direction only?				
	A)	Gate valve	B)	Globe valve		
	E)	Check valve	D)	Ball valve.		
102.	In p	otential flow, wall drag is		,		
	A)	infinite	BI	zero		
	C)	finite and non-zero	D)	none of these.		
103.	Und	er otherwise this on Stions. In	Me	friction factor for a rough pipe is		
	A)	smaller than that for a smooth pip	е.	•		
	B	greater than that of a smooth pipe				
	C)	equal to that for a smooth pipe				
	D)	not a function of Reynolds number	·.	•		
104.	For	laminar flow of Newtonian fluids	in pip	es, the ratio of average velocity to		
	maximum velocity is equal to					
	AY	0.5	B)	1.0		
	C)	1.5	D)	2.0.		
105.	The	equation of continuity applies to				
	A)	incompressible fluids				
	B)	compressible fluids		•		
	(C)	highly viscous fluids		·		
	DY	both incompressible and compress	sible fl	uids.		

- A) decreases with an increase in temperature
- B) increases with an increase in temperature
- C) remains unaffected with change in temperature
- D) increases with an increase in pressure.
- 107. A fluid is called Newtonian when the shear stress versus shear strain plot is
 - A) linear and passes through origin
 - B) linear but has an intercept
 - C) exponential and passes through the origin
 - D) a rectangular hyperbola.
- 108. A fluid is a substance that
 - A) permanently resists distortion
 - B) does not permanently resist distortion
 - C) has a definite density which is constant under all circumstances
 - D) has a density which cannot be accurately selections com
- 109. The equivalent length of pipe is expressed as number of pipe diameter and
 - M number of velocity head
- B) number of pressure head
- C) number of potential head
- D) all of these.
- 110. The roughness factor of pipe is the ratio of the length of the surface roughness to
 - A) outside pipe diameter

inside pipe diameter

C) volume of pipe

D) surface area of pipe.

- 111. One poise is equal to
 - A) 0.01 N.S/m²

B) 0.1 N.S/m²

C) 1 N.S/m²

- D) none of these.
- 112. A centrifugal pump is designed to deliver
 - and low discharge at high heads
 - B) large discharge at low heads
 - C) in between low and large discharges
 - D) all of these.

113. In the equation $\frac{\Delta u^2}{2\alpha} + g\Delta z + \int v \, dp + w_s + F = 0$, if the flow is turbulent, the kinetic energy factor α is

19

A) 0.5

/B) 1


C) 0

D) none of these.

114. Which evaporator is used for the production of condensed milk?

- A) Long tube vertical type evaporator
- B) Forced circulation evaporator
- C) Open-pan solar evaporator
- D) None of these.

115. Characteristic curve for centrifugal pump plotted against volumetric flow rate, efficiency, and head as a function of discharge rate is



- Ay power input, efficiency, head
- B) head, efficiency, power input
- C) efficiency, power input, head
- D) power input, head, efficiency.
- 116, With increase in shear rate, apparent viscosity of pseudoplastic fluid
 - A decreases
 - B) increases
 - C) may increase or decrease depending on the magnitude of shear rate
 - D) none of these.
- 117. Euler's equation of motion is a statement expressing
 - A) conservation of mass
- B) conservation of energy
- C) Newton's 1st law of motion
- D) Newton's 2nd law of motion.

	-
-	

20

118. Each term of Bernoulli's equation represents total energy per unit


AY m

B) volume

C) specific weight

D) none of these.

119. The type of fluid which is not characterised by power law is



B) Pseudoplastic

C) Newtonian

D) Dilatant.

120. As per Newton's law of viscosity shear stress is proportional to (viscosity = μ)



 $\mathbf{B}) \qquad \frac{1}{\mu}$

C) μ²

D) $\frac{1}{\mu^2}$

121. What is the absorptivity of a black body?

A) 0

- B) 1
- c) 0.78 www.upscstudymaterials.com

122. Dropwise condensation occurs in

- A) clean and dirt free surfaces
- By contaminated cooling surfaces
- C) smooth clean surfaces
- D) polished surfaces.

123. In the equation $Q = UA\Delta T$, ΔT is

- A) geometric mean temperature difference
- B) arithmetic mean temperature difference
- logarithmic mean temperature difference
- D) the difference of average bulk temperature in hot and cold fluids.

124. Prandtl number is the reciprocal of

A thermal diffusivity / momentum diffusivity

- B) thermal diffusivity × momentum diffusivity
- C) thermal diffusivity × mass diffusivity constant
- D) mass diffusivity × momentum diffusivity.

125. What is the logarithmic mean of r_1 and r_2 ?



 $B) \qquad \frac{r_1 - r_2}{\ln \frac{r_2}{r_1}}$

C) $\frac{r_2 - r_1}{\ln \frac{r_1}{r_2}}$

D) $\frac{r_1 - r_2}{-\ln \frac{r_1}{r_2}}$

126. Fourier's law of heat transfer applies to

A) convection

B) radiation

conduction

D) all of these.

127. In backward operation of multiple effect evaporators

- A) feed is fed in the middle effect and concentrated product is taken out from the last effect
- B) feed in feed in the middle effect and product is discharged from the first effect
- feed is fed in the last effect and product is taken out from the first effect
- D) feed is fed in the first effect and product is drawn from the last effect.

128. Which of the following is not true about a double-pipe heat exchanger?

- A) Flows are co-current or counter-current
- B) Differential expansion is absent

Used when the required surface area is very large

- D) Simplest type of heat exchanger.
- 129. Overall heat transfer coefficient, U is related to conductive resistances, R_{cd} and conductive resistances, R_{cu} by

$$U = \frac{1}{\sum R_{cd} + \sum R_{cv}}$$

$$B) \qquad \frac{1}{U} = \frac{1}{\sum R_{cd} + \sum R_{cv}}$$

C)
$$U = \frac{1}{\sum R_{cd} - \sum R_{cv}}$$

D)
$$U = \sum R_{cd} + \sum R_{c\nu}.$$

22

130. In natural convection, which of the following is true?

A) Pr = f(Re, Gr)

B) Nu = f(Re, Pr)

Nu = f(Gr, Pr)

D) Nu = f(Re, St).

131. In steady state thermal conduction, the heat flux is given by

A) Fick's law

B) Newton's law

(c) Fourier's law

D) Knudsen's law.

132. The rate of heat loss through a wall of red brick (k = 0.70 W/mK), of area 20 m², with 0.25 m thickness, if the wall temperatures are at 100°C and 30°C, is

A) 3920 W

B) 3920 kW

C) 392 W

D) 392 kW.

133. Which heat exchanger is used in paraffin-wax plants and in petrochemical plants for crystallization?

- A) Double pipe heat exchanger
- Scraped surface heat exchanger
- C) Plate type heavelchinges CSTUOI) Mail & that S. COM

134. The value of Stefan-Boltzmann constant in SI unit is

- 5 6697×10⁻⁸ W/m²K⁴
- B) $5.6697 \times 10^{-8} \text{ kcal/m}^2 \text{K}^4$
- C) $0.1714 \times 10^{-8} \text{ W/m}^2\text{K}^4$
- D) $0.1714 \times 10^{-8} \text{ kcal/m}^2 \text{K}^4$.

135. Which of the following is correct?

- A) Driving force = Rate × Resistance
- B) Rate = Driving force × Resistance
- C) Resistance = Driving force × Rate
- D) Rate = Resistance / Driving force.

136. The heat lost per m^2 of surface area for a wall of 254 mm thick, where the inside temperature is 352.7 K and outside temperature is 297.1 K is (thermal conductivity is 0.048 W/m K)

A) 100 W/m^2

B 105·1 W/m²

C) 200 W/m²

D) 150 W/m^2

137.	are called					
	A)	evaporators	BI	condensers		
	C)	heat exchangers	D)	all of these.		
138.	The	most economical absorption factor	will be	in the range of		
	A)	5 - 10	BI	1.25 - 2		
	C)	0.1 - 1	D)	none of these.		
139.	The	overall heat transfer coefficient is ge	eneral	ly low for fluids having		
	A)	high thermal conductivity	B)	low thermal conductivity		
	C)	constant thermal conductivity	D)	none of these.		
140.		t transfer occurs by natural conv ses difference in	vection	n because change in temperature		
	A)	viscosity	B	density		
	C)	thermal/conductivityscstudy	mai	enatgalgacii o M		
141.	As t	he product size from a ball mill decr	eases	•		
	A)	the capacity and power requiremen	t of th	ne mill increases		
	B)	the capacity increases, but the pov	ver rec	quirement decreases		
	C) the capacity and power requirement of the mill decrease					
	the capacity decreases, but the power requirement increases.					
142.	Whe	en a ball mill rotates at a speed high	er tha	n the critical speed, its efficiency is		
	A)	maximum	B	minimum .		
	C)	optimum	D)	none of these.		
143.	Tyle	er standard screen are based on the	openii	ng		
	X)	200 mesh screen	B)	400 mesh screen		
	(C)	300 mesh screen	D)	500 mesh screen.		
				•		

144.	If sp	pecific cake resistance is independent of pressure in a filtration process, then					
	the c	cake is					
A) incompressible .							
	B)	compressible					
	C)	both compressible and incompressible	;				
	D)	none of these:		•			
145.	Ener	rgy requirement (per unit mass of mater	rial	crushed / ground) is highest f	or		
	A)	Jaw crusher B)		Rod mill			
	C)	Ball mill		Fluid energy mill.			
146.	Equi	ivalent diameter of a particle is the dian	net	er of sphere having the same			
	A	ratio of surface to volume as the actua	d vo	lume			
	B)	volume of the particles					
	C)	ratio of volume to surface of the partic	le				
	D)	none of these WWW.upscstudyma	at	erials.com			
147.	Ball	mill is used for					
/	A)	fine grinding B)		crushing			
	C)	coarse grinding D)	1	attrition.			
148.	In ro	oll crushers					
	A)	both the rolls have same diameter					
	B)	are related towards each other			•		
	C) _	run either at same or different speeds					
•	15)	all of these.					
149.	Whice pres	ich of the following statements does	not	apply for plate and frame	filter		
	A)	Intermittent in operation					
	/B)	Very less labour requirement			•		
·	C)	Maintenance cost is low					

Large filtering area on a small floor space.

D)

156. Standard screen always have

crusher?

A)

C)

5°

50°

A) rectangular aperture

B) triangular aperture

square aperture

D) circular aperture.

155. Which of the following is a possible value of the one angle of nip of a roll

157.	According to	Rittinger's law	, crushing	efficiency

- A) depends on the feed size
- B) depends on the product size
- C) depends on both feed and product sizes

is constant and for a particular machine and feed material is independent of the feed and product size.

158. A rotary drum filter is

A) a continuous vacuum filter

- B) a discontinuous pressure filter
- C) a continuous pressure filter
- D) none of these.

159. The compressibility coefficient for an incompressible sludge is

A) 1.0

B) 0.2

C) 0.8

D) 0.

160. In SI system the specific cake resistance has a unit of S. COM

A) m/s

B) kg/s

C) m^3/s

D) m/kg

161. Which of the following methods will come under mechanical separation?

A) Drying

B) Distillation

C) Evaporation

D) Sedimentation.

162. The rate of diffusion is high for

A) solids

B) liquids

gases or vapours

D) colloidal solution.

163. Which is not the dimension of individual mass transfer coefficient?

- A) Moles transferred
 Area time mole fraction
- B) Moles transferred
 Area time pressure
- C) $\frac{\text{Moles transferred}}{\text{Area time concentration}}$
- Moles transferred
 Area time temperature

164.	Posi	tive deviation from ideality gives				
	A)	alloy mixtures	B)	maximum boiling mixtures		
	C)	maximum boiling azeotropes	D)	minimum boiling mixtures.		
165.	In a	ternary liquid system where one p	air (A	A and B) is partially soluble, above		
	the	critical solution temperature,				
,	A	A and B dissolve completely	B)	A precipitates out		
	C)	C separates out	D)	the mixture forms three layers.		
166.	An i	deal binary liquid mixture obeys		•		
	A)	Henry's law	B	Raoult's law		
	C)	Boyle's law	D)	Dalton's law:		
167.	Whi	ch of the following driers operates in	batcl	nes?		
	A)	Spray drier	BÍ	Tray drier		
	C)	Rotary drier	D)	Tunnel drier.		
168.	In M	cCabe-Thiele method, if the feed is	a boili	ng liquid, q -line will be		
,	A)	vertical	B)	horizontal		
•	C)	with a positive slope cstudym	ate	with a negative slope.		
169.	In d	rying, Leidenfrost point means	,			
	A)	equilibrium moisture content	B)	free moisture content		
	C)	internal moisture content	DI	critical moisture content.		
170.	A mi	ixture of benzene and toluene boils	at 95	°C under a pressure of 101·3 kPa.		
	At 95°C, the vapour pressures of benzene and toluene are 155.56 kPa and					
	63.9	8 kPa respectively. The composition	of the	boiling liquid is		
	A)	40.75 mole % toluene	B)	26·15 mole % toluene		
	سلاك	40.75 mole % benzene	D)	59·25 mole % benzene.		
171.	The	temperature of air in a room is 40°C	and	the total pressure is 101 3 kPa abs.		
	Air c	contains water vapour with a partia	d pres	sure $p_A = 3.74$ kPa. The absolute		
	hum	idity is				
	A	0.0238	B)	0.0386		
	C)	0.049	D)	0.0037.		

172. Supersaturation is achieved by

- A) cooling a solution through indirect heat exchange
- B) evaporation of part of solvent
- C) adding new substance which reduces the solubility of original solute
- D all of these.

173. Molecular diffusion is due to

- At thermal motion of the molecules B) potential energy of the molecules
 - C) activation energy of the molecules D) none of these.


174. Rayleigh equation applies to

- A differential distillation
- B) flash vaporisation
- C) equilibrium distillation
- D) molecular distillation.

175. For a binary mixture with low relative volatility

- A) use steam distillation
- B) use molecular distillation
- C) use high pressure distillation
- an azeotrope may be formed during distillation.

176. Which of the following curves represent a minimum boiling azeotrope?



x =liquid composition

- A) A
- O) G

- BY B
 - D) *D*.

607

177.	77. Very tall packed towers are divided into series of beds to				
	A)	reduce the overall pressure drop	PY	avoid channelling	
	C)	avoid flooding	D)	none of these.	
178.	Wet	ted wall tower experiment determin	es	` .	
	A)	molal diffusivity	B)	volumetric coefficient	
	es	mass transfer coefficient	D)	none of these.	
179.	Co-c	current absorbers are usually use	ed whe	en the gas to be dissolved in the	
	liqui	id is			
	A)	sparingly soluble	B)	highly soluble	
	R	a pure substance	D)	a mixture.	
180.	If G	is an insoluble gas stream and L	is a no	on-volatile solvent in liquid stream,	
	then	the slope of the operating line for t	he abs	sorber is	
	AV	L/G	B)	G/L	
	C)	always < 1	D)	none of these.	
181.	Prox	timate analysis of coal gives WWW.UDSCStUCY carbon, hydrogen and ash	mat	erials.com	
,	P	volatile matter, moisture, ash and	fixed o	earbon	
	C)	carbon, hydrogen, sulphur and nit	rogen		
	D)	volatile matter, moisture, nitrogen	and ca	arbon.	
182.	The	chemical formula for rust is			
	Ajo	Fe_2O_3 . xH_2O	В)	$\mathrm{Fe_2O_3}$	
	C)	Fe ₃ O ₄ . <i>x</i> H ₂ O	D)	Fe ₃ O ₄ .	
183.	The	average molecular weight of air is		•	
	A)	25	B)	27	
	C)	30	<i>P</i>	29.	
184.	1 tor	r is equivalent to			
	A	1 mm Hg	B)	1 pascal	
	C)	1 atm	D }	1 mm water column.	

Calculate .

30

185. 1 BTU is equivalent to

A) 252 cal

B) 0.252 cal

C) 1 kcal

D) 252 kcal.

186. The specific gravity of liquid is the ratio of its density to the density of

A) air

B) water

C) liquid

D) none of these.

187. The value of R in $\frac{\text{m}^3 \text{ mm Hg}}{\text{mol. K}}$ is

A) 6.2364×10⁻²

B) 1.987

C) 8:314

D) 10.73.

188. A wet substance containing 25% water on dry basis, is dried to 2.5% water on dry basis. The amount of water removed in percentage is

A) 90%

B) 75%

- C) 10%
- www.upscstudymaterials.com

189. If the heat capacity is given by $C_p = a + bT$, where C_p is in kJ/k mol.K and T is in K

- A) the constants a and b are dimensionless constant
- B) both a and b have dimensions kJ/k mol.K
- C) the dimension of a is kJ/k mol.K and that of b is kJ/k mol
- the dimension of a is kJ/k mol.K and that of b is kJ/k mol.K².


190. $N_2 + 3H_2 \rightarrow 2NH_3$. In the ammonia converter, mixture of N_2 and H_2 containing 20% N_2 by volume is sent to the converter. The limiting reactant is

M N_2

B) H₂

C) NH₃

D) N_2 or H_2 .



23.95

Bì 5.5

26.19 C)

D) 38.

192. For real gases, the partial volume and pure component volume will be

A) same D) different

C) may be same or different

- none of these.
- 193. In SO₃ production, 100 k mol of SO₂ and 200 k mol of O₂ are fed to reactor. The product contains 80 k mol of SO₃. The per cent conversion of SO₂ is

AY 80

B) 100

C) 50

- 40. D)
- 194. An aqueous solution of triethanolamine (TEA) contains 50% TEA by wt. The density of solution is 1.05 kg/L. The molecular wt. of TEA is 149. The molality of solution is
 - 335% Ww.upscstudymaller 12524 Mom A)

35 24 M C)

- 195. A plot of boiling point of solution against boiling point of pure water at same pressure for a given concentration is known as

Dühring's rule

heat of solution B)

C) Trouton's rule

- D) none of these.
- 196. The heat of combustion data for the following reactions are:

$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(l)$$
 $\Delta H^\circ = -890.4 \text{ kJ}$

 $C(s)+O_2(g)\rightarrow CO_2(g)$

 $\Delta H^{\circ} = -393 \cdot 51 \text{ kJ}$

$$H_2(g) + \frac{1}{2}O_2(l) \rightarrow H_2O(l)$$

$$\Delta H^{\circ} = -285 \cdot 84 \text{ kJ}$$

The heat of formation of methane is

A) - 74·79 kJ

B) - 285 84 kJ

C) - 393·51 kJ

- 890·4 kJ.

607

[Turn over

	197.	In a chemical	process,	per cent	: yield	is
--	------	---------------	----------	----------	---------	----

- A) $\frac{\text{moles of the feed unreacted}}{\text{moles of the feed charged}} \times 100$
- B) $\frac{\text{moles of the feed reacted}}{\text{moles of the feed charged}} \times 100$
- C) $\frac{\text{moles of the reactant converted to the desired product}}{\text{total moles of the reactant fed to the process}} \times 100$

moles of the reactant converted to desired product total moles of the reactant converted ×100.

198. In a gas liquid contact system, for dilute mixtures, the equilibrium compositions on both the phases are given by

A) Raoult's law

Henry's law

C) Hess's law

D) Fick's law

199. In an absorption column, the absorption factor is the ratio of the slopes of the

Ay operating line to equilibrium line

- C) tangent of the equilibrium line to operating line
- D) tangent of the operating line to equilibrium line.

200. The gas which constitutes the maximum to the heating value of natural gas is

A) CO

B) CO

C) H₂

DY CH₄.

(SPACE FOR ROUGH WORK)

www.upscstudymaterials.com

(SPACE FOR ROUGH WORK)

www.upscstudymaterials.com

607

www.upscstudymaterials.com

www.upscstudymaterials.com